

Muhlenbergia capillaris





- Excellent texture in mass plantings
- Heat and drought tolerant
- Needs warmer temperatures for better flower initiation and lush blooms
- Highly preferred by landscape architects

Technical Guide: Click here

All information in our technical guide is based on our own trials and would therefore be as guideline only. Detailed cultivation aspects vary depending on climate, location, time of year and environmental conditions. Benary expressly disclaims any responsibility for the content of such data/information and makes no representation or warranty for the cultivation of any products listed. It is recommended that growers conduct a trial of products under their own conditions.

Crop Time	Spring: 14 - 16 weeks
Height Ø	31 ″ / 80 cm
Exposure	Sun
Seed Form	Raw Seed
Heat Zone	3-12
Hardiness Zone	6-10
Best Uses	Landscape



CULTURE GUIDE

Muhlenbergia capillaris Ruby

Germination

7-14 days

Temperature

70 °F / 21 °C

Stage I Starts with the radicle breaking through the testa. The roots are touching the medium. Ends with fully developed cotyledons.
Stage II Starts from fully developed cotyledons. Ends with the fully developed true leaf or true leaf pair.
Stage III Starts from the fully developed true leaf or true leaf pair and ends with 80% of the young plants being marketable.
Stage IV All young plants are ready for sale and in the process of being hardened off. This stage lasts about 7 days.

The cultural recommendations are based on results from trials conducted under Central European conditions. Different conditions in other parts of the world may lead to deviations in results achieved.



COLORS OF THE SERIES

Muhlenbergia capillaris Ruby



MC0101R