

Platycodon grandiflorus F? Pop Star™

White

Item no.: P1065

Crop Time

Spring: 13 - 15 weeks

Height

18cm

Exposure

Sun - Partial shade

Seed Form

Raw Seed

Hardiness Zone

3b-9b

Best Uses

Bedding, Landscape

Culture guide

Usage

Pots, Mixed Containers and Landscape

Germination

Optimal conditions for seedling development, beginning on the day of sowing until radical emergence Expect radicle emergence in 3-4 days.

Media

Plug Culture:

Begin with a Saturated (5) media for the first 4 days. On day 5 begin to reduce the moisture level to a Wet (4) for the next 4 -5 days. Once the cotyledons have expanded reduce further to a Moist (3). This should occur on day 11-12. Begin to alternate between a moisture level Wet (4) and a Medium (2). Let the media approach a Medium (2) before re-saturating to a Wet (4). Alternate between moisture levels Wet (4) and Medium (2). Allow the media to approach a Medium (2) before re saturating to a Wet (4). Platycodon prefer slightly drier media conditions for good root development.

Growing On:

Alternate between moisture levels Wet (4) and Medium (2). Allow the media to reach a Medium (2) before re-saturating to a Wet (4). Allowing the media moisture level to dry back will encourage good root development.

Temperature

Plug Culture:

68-70 °F (20-21 °C), after germination has occurred the temperature can be reduced slightly to 65-68 °F (18- 20 °C).

Growing On:

65-68 °F (18-20 °C) nights, 70-74 °F (21-23 °C) days for the first two weeks after transplanting. Thereafter temperatures may be lowered to 62–65 °F (16–18°C) day and night. An ADT (average daily temperature of 67°F (19°C) will give the fastest finished crop.

Stage I Starts with the radicle breaking through the testa. The roots are touching the medium. Ends with fully developed cotyledons.

Stage II Starts from fully developed cotyledons. Ends with the fully developed true leaf or true leaf pair.

Stage III Starts from the fully developed true leaf or true leaf pair and ends with 80% of the young plants being marketable.

Stage IV All young plants are ready for sale and in the process of being hardened off. This stage lasts about 7 days.

The cultural recommendations are based on results from trials conducted under Central European conditions. Different conditions in other parts of the world may lead to deviations in results achieved.